

*Indian Standard*

METHOD OF  
MEASUREMENT OF BUILDING AND  
CIVIL ENGINEERING WORKS

PART XX LAYING OF GAS AND OIL PIPE LINES

( *Third Revision* )

---

Third Reprint SEPTEMBER 1993

UDC 69.003.12:696.2:621.644

© Copyright 1981

BUREAU OF INDIAN STANDARDS  
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG  
NEW DELHI 110002

*Indian Standard*

METHOD OF  
MEASUREMENT OF BUILDING AND  
CIVIL ENGINEERING WORKS

## PART XX LAYING OF GAS AND OIL PIPE LINES

*( Third Revision )*

Civil Works Measurement Sectional Committee, BDC 44

*Chairman*

SHRI S. R. NAIR

*Representing*

Engineering Projects ( India ) Ltd, New Delhi

*Members*

ADHISHASI ABAYANTA ( PARSHI- KSHAN )	Public Works Department, Lucknow
DEPUTY DIRECTOR ( GAWESHAN ) ( <i>Alternate</i> )	
SHRI K. D. ARCOT	Engineers India Ltd, New Delhi
SHRI T. V. SITARAM ( <i>Alternate</i> )	
SHRI S. K. CHAKRABORTY	Calcutta Port Trust, Calcutta
DIRECTOR, IRI, ROORKEE	Irrigation Department, Government of Uttar Pradesh
DIRECTOR ( RATES AND COSTS )	Central Water Commission, New Delhi
DEPUTY DIRECTOR ( RATES AND COSTS ) ( <i>Alternate</i> )	
SHRI P. N. GADI	Institution of Surveyors, New Delhi
SHRI P. L. BHASIN ( <i>Alternate</i> )	
SHRI M. L. JAIN	National Industrial Development Corporation Ltd, New Delhi
JOINT DIRECTOR ( D )	National Buildings Organization, New Delhi
SHRI A. K. LAL ( <i>Alternate</i> )	
SHRI S. K. LAHA	Institution of Engineers ( India ), Calcutta
SHRI V. D. LONDHE	Concrete Association of India, Bombay
SHRI N. C. DUGGAL ( <i>Alternate</i> )	
SHRI K. K. MADHOK	Builders' Association of India, Bombay
SHRI DATTA S. MALIK	Indian Institute of Architects, Bombay
PROF M. K. GODBOLE ( <i>Alternate</i> )	
SHRI B. S. MATHUR	Ministry of Shipping and Transport ( Roads Wing ), New Delhi
SHRI A. D. NARAIN ( <i>Alternate</i> )	

*( Continued on page 2 )*

© Copyright 1981

BUREAU OF INDIAN STANDARDS

This publication is protected under the *Indian Copyright Act ( XIV of 1957 )* and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

# IS : 1200 ( Part XX ) - 1981

( Continued from page 1 )

<i>Members</i>	<i>Representing</i>
SHRI R. S. MURTHY	Gammon India Ltd, Bombay
SHRI H. D. MATANGE ( <i>Alternate</i> )	
SHRI C. B. PATEL	M. N. Dastur & Co Ltd, Calcutta
SHRI B. C. PATEL ( <i>Alternate</i> )	
SHRI V. G. PATWARDHAN	Engineer-in-Chief's Branch ( Ministry of Defence ), New Delhi
SHRI G. G. KARMARKAR ( <i>Alternate</i> )	
SHRI T. S. RATNAM	Bureau of Public Enterprises, New Delhi
SHRI P. S. HARI RAO	Hindustan Construction Co Ltd, Bombay
SHRI N. M. DASTANE ( <i>Alternate</i> )	
SHRI P. V. SATHE	Public Works and Housing Department, Government of Maharashtra, Bombay
SHRI R. A. SUBRAMANIAM	Hindustan Steelworks Construction Ltd, Calcutta
SUPERINTENDING ENGINEER	Haryana Irrigation Department, Chandigarh
( MUNAK CANAL CIRCLE )	
SUPERINTENDING ENGINEER	
( JLN-CIRCLE 1 ) ( <i>Alternate</i> )	
SUPERINTENDING SURVEYOR OF	Central Public Works Department, New Delhi
WORKS ( AVI )	
SURVEYOR OF WORKS I ( AVI ) ( <i>Alternate</i> )	
SHRI K. J. TARAPORWALLA	Bombay Port Trust, Bombay
SHRI J. C. VERMA	Bhakra Management Board, Irrigation Wing, Nangal Township
EXECUTIVE ENGINEER	
( TOWNSHIP ) ( <i>Alternate</i> )	
SHRI G. RAMAN,	Director General, ISI ( <i>Ex-officio Member</i> )
Director ( Civ Engg )	

## *Secretary*

SHRI K. M. MATHUR  
Deputy Director ( Civ Engg ), ISI

# *Indian Standard*

## METHOD OF MEASUREMENT OF BUILDING AND CIVIL ENGINEERING WORKS

### PART XX LAYING OF GAS AND OIL PIPE LINES

#### *( Third Revision )*

#### 0. FOREWORD

**0.1** This Indian Standard ( Part XX ) ( Third Revision ) was adopted by the Indian Standards Institution on 27 February 1981, after the draft finalized by the Civil Works Measurement Sectional Committee had been approved by the Civil Engineering Division Council.

**0.2** Measurement occupies a very important place in the planning and execution of any civil engineering work, from the time of first estimates to the final completion and settlement of payments. The methods being followed for measurement are not uniform, and considerable differences exist between the practices followed by different construction agencies and also by various central and state government departments. While it is recognized that each system of measurement has to be specifically related to the administrative and financial organization with the departments responsible for the work, a unification of the various systems at the technical level has been accepted as very desirable, specially as it permits a wider circle of operation for civil engineering contractors and eliminates ambiguities and misunderstandings arising out of inadequate understanding of the various systems followed.

**0.3** Among the various civil engineering items, measurement of building had been the first to be taken up for standardization and this standard having provisions relating to building works, was first published in 1958 and was revised in 1964.

**0.4** In the course of usage of this standard by various construction agencies in the country, several clarifications and suggestions for modifications were received and as a result of study, the technical committee responsible for this standard decided that the scope of this standard besides being applicable to building should be expanded so as to cover method of measurement applicable to civil engineering works like industrial and river valley project works.

**0.5** Since measurement of one type of trade is not related to that of another one, and also to facilitate the second revision of IS : 1200-1964\*, the Sectional Committee decided that each type of trade as given in IS : 1200-1964\* be issued separately as different parts. This will also be helpful to the specific users in various trades in using the standard. This part covering the method of measurement of laying of gas and oil pipelines, including appurtenant items applicable to bulding as well as civil engineering works, was therefore, issued as the second revision in 1969. The third revision has been done so as to keep the provision in line with method of measurement now followed by majority of organizations.

**0.6** For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS : 2-1960†. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

---

## 1. SCOPE

**1.1** This standard ( Part XX ) covers the method of measurement of laying of gas and oil pipelines.

## 2. GENERAL RULES

**2.1 Clubbing of Items** — Items may be clubbed together, provided these are on the basis of detailed description of items as stated in the standard.

**2.2 Booking of Dimensions** — In booking dimensions, the order shall be consistent and generally in the sequence of length, breadth or width and height or depth or thickness.

**2.3 Description of Items** — The description of each item shall, unless otherwise stated, be held to include, where necessary, conveyance and delivery, handling, loading, storing, fabrication, hoisting, all labour for finishing to required shape and size, setting, fitting and fixing in position, straight cutting and waste, return of packings and other incidental operations.

**2.4 Dimensions** — All work shall be measured net as fixed to the nearest 0.01 metre, unless otherwise stated hereinafter.

**2.5 Bills of Quantities** — Items of work shall fully describe the materials and workmanship, and accurately represent the work to be executed.

---

\*Method of measurement of building and civil engineering works ( revised ).

†Rules for rounding off numerical values ( revised ).

**2.6 Work to be Measured Separately** — Work executed in the following conditions shall be measured separately:

- a) Work in or under water,
- b) Work in liquid mud,
- c) Work in or under foul positions, and
- d) Work interrupted by tides.

**2.6.1** The levels of high and low water tides, where occurring, shall be stated.

**2.6.2** Where special pumping due to causes other than rains and sub-soil water is resorted to, the same shall be measured separately, unless otherwise stated, in kilolitres of water against a separate specific provision(s) made for this purpose [ see 2.7 of IS : 1200 ( Part I ) 1974\* ].

**2.7 Measurement in Stages** — Work shall be measured under the following categories in convenient stages stating the height or depth:

- a) Below ground/datum line, and
- b) Above ground/datum line.

NOTE — The ground/datum line shall be specified in each case.

### 3. METHOD OF MEASUREMENT OF GAS AND OIL PIPELINES

**3.1** Gas and oil pipelines shall be classified according to their diameter, length of each pipe, kind of material, the quality of pipe and the method of joining and shall be measured in running metres inclusive of all joints. The measurement shall be taken along the central line of the pipes and fittings or specials. All fittings or specials shall be enumerated separately as 'extra over' the pipes. Cutting and jointing the pipes to such fittings or specials shall be deemed to be included with the item of fittings or specials.

**3.1.1** Alternatively, gas and oil pipes shall be classified according to their diameter, kind of material, quality of the pipe and shall be measured in running metres. The measurement shall be taken along the central line of the pipes and in between the fittings or specials. All joints, fittings or specials shall be fully described and enumerated separately. Cutting of pipes for jointing to such fittings or specials shall be deemed to be included with the item of fitting or specials.

**3.2** Components for supporting pipes, like hangers, chairs, pillars, etc, shall be fully described and enumerated separately.

\*Method of measurement of building and civil engineering works: Part I Earthwork ( third revision ).

**3.3 Pipes laid or fixed in ducts, trenches and chases shall be so described in each case.**

**3.4 Pipes embedded in floor screed shall be so described.**

**3.5 Excavation of Trenches** — Method of measurement for excavation of trenches for laying pipelines and other allied works and refilling the trenches, etc, shall be as given in IS : 1200 ( Part I )-1974\*.

**3.6 Concrete beds, haunchings and coverings, including any formwork required, shall be described and measured in running metres stating size of the pipe, dimensions and mix of concrete.**

**3.7 Heat Treatment** — Heat treatment shall be fully described and enumerated separately unless otherwise stated.

**3.8 Tests** — Hydrostatic tests and radiographic tests shall be separately described and measured in running metres for hydrostatic tests and per centimetre length for various sizes of pipes for radiographic tests.

**3.9 Pigging, Pickling and Purging** — Pigging, pickling and purging with inlet gases shall be separately enumerated.

### **3.10 Insulation**

**3.10.1** All insulation to pipe work shall be fully described and measured in running metres, unless otherwise stated, stating the type and size of the pipes. The measurement shall be taken along the central line of the pipes and fittings or specials. No separate measurement shall be made for bevelling of insulation at ends flanges, etc.

**3.10.2** Insulation around valves, and other ancillaries and to pipe fittings shall be fully described and enumerated separately, as '*extra over*' the insulation to pipe work.

### **3.11 Miscellaneous Works**

**3.11.1** Miscellaneous works, such as crossing of railway lines and culverts, cutting and reconditioning of pavements, deviation of pipelines and cables, dismantling and reconditioning of works, etc, shall be measured as per relevant standard.

**3.11.2** Connection to submains or other pipelines shall be fully described and enumerated.

---

\*Method of measurement of building and civil engineering works: Part I Earthwork ( *third revision* ).

# BUREAU OF INDIAN STANDARDS

## Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones: 331 01 31, 331 13 75

Telegrams: Manaksanstha  
( Common to all Offices )

## Regional Offices:

### Telephone

Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002	{ 331 01 31 331 13 75
*Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola, CALCUTTA 700054	36 24 99
Northern : SCO 445-446, Sector 35-C, CHANDIGARH 160036	{ 2 18 43 3 16 41
Southern : C. I. T. Campus, MADRAS 600113	{ 41 24 42 41 25 19 41 29 16
†Western : Manakalaya, E9 MIDC, Marol, Andheri ( East ), BOMBAY 400093	6 32 92 95

## Branch Offices:

'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001	{ 2 63 48 2 63 49
‡Peenya Industrial Area 1st Stage, Bangalore Tumkur Road BANGALORE 560058	{ 38 49 55 38 49 56
Gangotri Complex, 5th Floor, Bhadbhada Road, T. T. Nagar, BHCPAL 462003	6 67 16
Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002	5 36 27
53/5, Ward No. 29, R.G. Barua Road, 5th Byelane, GUWAHATI 781003	3 31 77
5-8-56C L. N. Gupta Marg ( Nampally Station Road ), HYDERABAD 500001	23 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	{ 6 34 71 6 98 32
117/418 B Sarvodaya Nagar, KANPUR 208005	{ 21 68 76 21 82 92
Patliputra Industrial Estate, PATNA 800013	6 23 05
T.C. No. 14/1421, University P.O., Palayam TRIVANDRUM 695035	{ 6 21 04 6 21 17

## Inspection Offices ( With Sale Point ):

Pushpanjali, First Floor, 205-A West High Court Road, Shankar Nagar Square, NAGPUR 440010	2 51 71
Institution of Engineers ( India ) Building, 1332 Shivaji Nagar, PUNE 411005	5 24 35

\*Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. Princep 27 68 00  
Street, Calcutta 700072

†Sales Office in Bombay is at Novelty Chambers, Grant Road, 89 65 28  
Bombay 400007

‡Sales Office in Bangalore is at Unity Building, Narasimharaja Square, 22 36 71  
Bangalore 560002