

IS : 1200 (Part VII) - 1972
(Reaffirmed 1992)

Indian Standard

METHOD OF MEASUREMENT OF
BUILDING AND CIVIL ENGINEERING WORKS

PART VII HARDWARE

(*Second Revision*)

Sixth Reprint AUGUST 1998

(Incorporating Amendments No. 1 and 2)

UDC 69.003.12 : 683.1

© *Copyright* 1977

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

*Indian Standard*METHOD OF MEASUREMENT OF
BUILDING AND CIVIL ENGINEERING WORKS

PART VII HARDWARE

(Second Revision)

Civil Works Measurement Sectional Committee, BDC 44

| <i>Chairman</i> | <i>Representing</i> |
|---|--|
| SHRI V. R. VAISH | Bureau of Public Enterprises (Ministry of Finance) |
| <i>Members</i> | |
| SHRI N. P. ACHARYYA | Calcutta Port Trust, Calcutta |
| SHRI R. G. ANAND | Indian Institute of Architects, Bombay |
| SHRI S. K. ANAND | Engineer-in-Chief's Branch, Army Headquarters (Ministry of Defence) |
| SHRI V. V. SASIDARAN (<i>Alternate</i>) | Ministry of Health & Family Planning |
| ASSISTANT ADVISER (PHE) | Hindustan Steel Works Construction Ltd, Calcutta |
| SHRI B. G. BALJEKAR | Heavy Engineering Corporation, Ranchi |
| CHIEF ENGINEER | Public Works Department, Government of Andhra Pradesh |
| CHIEF ENGINEER (R & B) | |
| SUPERINTENDING ENGINEER (PLANNING & DESIGN) (<i>Alternate</i>) | |
| SHRI W. J. DA GAMA | Bombay Port Trust, Bombay |
| SHRI V. B. DESAI | Hindustan Construction Co Ltd, Bombay |
| DIRECTOR (IRI) | Irrigation Department, Government of Uttar Pradesh |
| DIRECTOR (RATES & COSTS) | Central Water & Power Commission, New Delhi |
| DEPUTY DIRECTOR (RATES & COSTS) (<i>Alternate</i>) | |
| SHRI P. K. DOCTOR | Concrete Association of India, Bombay |
| SHRI D. S. VIJAYENDRA (<i>Alternate</i>) | |
| EXECUTIVE ENGINEER (PLANNING & DESIGNS), NORTHERN RAILWAY | Ministry of Railways |
| SHRI P. N. GADI | Institution of Engineers (India), Calcutta |
| SHRI D. GUHA | Institution of Surveyors, New Delhi |
| SHRI P. L. BHASIN (<i>Alternate</i>) | |
| SHRI G. V. HINGORANI | Gammon India Ltd, Bombay |
| SHRI H. K. KHOSLA | Beas Dam Project, Talwara Township |
| SHRI KRISHAN KUMAR | Ministry of Shipping & Transport (Roads Wing) |
| SHRI L. R. KADIYALI (<i>Alternate</i>) | |
| SHRI K. K. MADHOK | Builders' Association of India, Bombay |
| SHRI MUNISH GUPTA (<i>Alternate</i>) | |

(Continued on page 2)

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BHADUR SHAH ZAFAR MARG
NEW DELHI 110002

(Continued from page 1)

| <i>Members</i> | <i>Representing</i> |
|--|--|
| SRI T. S. MURTHY | National Projects Construction Corporation, New Delhi |
| SRI K. N. TANEJA (Alternate) | |
| SRI C. B. PATEL | M. N. Dastur & Co Private Ltd, Bombay |
| SRI B. C. PATEL (Alternate) | |
| SRI Y. G. PATEL | Patel Engineering Co Ltd, Bombay |
| SRI C. K. CHOKSHI (Alternate) | |
| SRI A. A. RAJU | Hindustan Steel Ltd, Ranchi |
| SRI S. SRINIVASAN (Alternate) | |
| SRI RAVINDER LAL | National Buildings Organization, New Delhi |
| SRI S. H. BALCHANDANI (Alternate) | |
| SRI K. G. SALVI | Hindustan Housing Factory, New Delhi |
| SRI G. B. SINGH (Alternate) | |
| SECRETARY | Central Board of Irrigation & Power, New Delhi |
| DR R. B. SINGH | Motilal Nehru Regional Engineering College, Allahabad |
| SUPERINTENDING SURVEYOR OF WORKS (AVIATION) | Central Public Works Department (Aviation) |
| SURVEYOR OF WORKS (I) ATTACHED TO SUPERINTENDING SURVEYOR OF WORKS (AVIATION) (Alternate) | |
| SUPERINTENDING SURVEYOR OF WORKS (I) | Central Public Works Department |
| SURVEYOR OF WORKS (I) ATTACHED TO SUPERINTENDING SURVEYOR OF WORKS (I) (Alternate) | |
| TECHNICAL EXAMINER | Building & Communication Department, Government of Maharashtra |
| SRI B. K. UPPAL | Bhakra Management Board, Nangal Township |
| SRI P. S. RAO (Alternate) | |
| SRI D. AJITHA SIMHA, Director (Civ Engg) | Director General, BIS (<i>Ex-officio Member</i>) |

Secretary

SRI K. M. MATHUR
Assistant Director (Civ Engg), BIS

*Indian Standard*METHOD OF MEASUREMENT OF
BUILDING AND CIVIL ENGINEERING WORKS

PART VII HARDWARE

(Second Revision)

0. FOREWORD

0.1 This Indian Standard (Part VII) (Second Revision) was adopted by the Indian Standards Institution on 17 May 1972, after the draft finalized by the Civil Works Measurement Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 Measurement occupies a very important place in the planning and execution of any civil engineering work from the time of first estimates to the final completion and settlement of payments for a project. Methods followed for measurement are not uniform and considerable differences exist between practices followed by different construction agencies and also between various Central and State Government Departments. While it is recognized that each system of measurement has to be specifically related to administrative and financial organizations within a department responsible for the work, a unification of various systems at technical level has been accepted as very desirable specially as it permits a wider range of operation for civil engineering contractors and eliminates ambiguities and misunderstandings of various systems followed.

0.3 Among various civil engineering items, measurement of buildings was the first to be taken up for standardization and this standard having provisions relating to building work was first published in 1958 and was revised in 1964.

0.4 In the course of usage of this standard by various construction agencies in the country, several clarifications and suggestions for modifications were received and as a result of study, the technical committee responsible for this standard decided to cover method of measurement for civil engineering works like industrial and river valley projects.

0.5 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a measurement, shall be rounded off in accordance with IS : 2-1960*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

*Rules for rounding off numerical values (*revised*).

1. SCOPE

1.1 This standard (Part VII) covers the method of measurement of hardware in buildings and civil engineering works.

2. GENERAL

2.1 Description of Item — The description of each item shall, unless otherwise stated, be held to include, wherever necessary, conveyance and delivery, handling, unloading, storing and all labour for fitting and fixing in position, cutting and waste, return of packing, etc.

2.2 Limits of Measurement — The dimensions shall be measured net in decimal system nearest to 0.01 m.

2.3 Bills of Quantities — The bills of quantities shall fully describe the materials and workmanship and accurately represent the work to be executed.

2.4 Mode of Measurements — The various kinds of builders hardware shall be described and measured separately according to the material, finish, size, pattern and method of fixing.

2.4.1 All builders hardware shall be fully described and enumerated except the following which shall be measured in running metres:

- a) Curtain rods or poles, stating the outer diameter;
- b) Curtain Rails — Curtain runners, brackets and stops shall be described and included with the item stating the number per metre of rail;
- c) Rails for sliding sashes stating the size of the rail; and
- d) Sash Lines — The girth or diameter shall be stated.

2.5 Fixing of hardware items shall include all fittings, cutting, sinking, boring and morticing, the supply of screws (or bolts, nuts and washers in the case of hardware made for fixing with bolts), to match.

2.6 Hardware fixed to wood and metal shall each be measured separately.

2.7 Hardware fixed flush shall be so described.

3. MEASUREMENT OF SIZES OF HARDWARE

3.1 The sizes of the hardware articles (see 2.4) shall be measured as indicated in Table 1.

TABLE 1 MEASUREMENT OF HARDWARE

(Clause 3.1)

| Sl No. | NAME OF ARTICLE | HOW MEASURED |
|--------|----------------------------------|--|
| 1) | Bolts | a) The length of face plate in flush bolts b) The length of shoots (bolt) in other bolts |
| 2) | Hinges | a) The length of the joint or knuckle of butt hinges b) The width between flanges and also the height of parliament hinges c) The length of the leaf (that is, from the joint or knuckle to the point), in case of tee and strap hinges d) The length of the spring cylinder for regulating spring of butt hinges e) The length of joint in case of back flap hinges |
| 3) | Latches (Suffolk or Norfolk) | The dimensions of the plate (having the bow handle) and the size number |
| 4) | Latches, rim (Night) | } The horizontal length of face across the body excluding the box staple or striking plate |
| 5) | Locks, rim | |
| 6) | Locks, mortice | |
| 7) | Locks, cabinet or cupboard | |
| 8) | Locks drawer | |
| 9) | Locks furniture | The maximum diameter of the knob |
| 10) | Cleats belaying | Straight distance between two ends of cleat |
| 11) | Catches, spring (for fanlight) | The flat overall size in elevation of the plate with spring catch excluding the striking plate |
| 12) | Fasteners, cockspur | The length of handle from the centre of pivot or hinged joint |
| 13) | Fasteners and stays (casement) | Extreme length including thickness of back plate |
| 14) | Pivots and sockets | The dimensions of each plate |
| 15) | Stays, quadrant (for fanlight) | The shortest straight length between the extreme ends of the quadrant stay |

(Continued)

TABLE 1 MEASUREMENT OF HARDWARE — *Contd*

| Sl. No. | NAME OF ARTICLE | HOW MEASURED |
|---------|---|--|
| 16) | Brackets for shelving | The extreme width and height |
| 17) | Door handles | Grip length |
| 18) | Hat pegs | Extreme length including thickness of plate |
| 19) | Hat and coat hooks | Measured diagonally from extreme top of fixing plate to the extreme top of knob |
| 20) | Wardrobe hooks | Measured diagonally from extreme top of fixing plate to the extreme top of knob |
| 21) | Screw hooks dresser or cup pattern | Straight length excluding screwed end |
| 22) | Cabin or casement hook with two eyes on plate | Straight length between centre of two eyes when fixed |
| 23) | Wire hooks with two screwed eyes | The overall length of the hook excluding the screwed eye. The diameter of wire shall be stated |
| 24) | Knob | The maximum diameter of the knob |
| 25) | Hasp and staples: | |
| | a) Wire type | The overall length of hasp including the hinged plate |
| | b) Plate type | The length measured from the centre of the hinge to the end of the hasp excluding the hinged plate |
| 26) | Strips, rat-tail including friction plate | } Length measured from the centre of the spindle to the centre of the roller |
| 27) | Springs, patent helical | |
| 28) | Screwed eyes | The overall length of the screwed eye and diameter of wire shall be stated |
| 29) | Door closer (hydraulically regulated) | The weight and the width of the door to which it is intended to be fitted shall be stated |
| 30) | Finger plates | The length, width and thickness of the plates |
| 31) | Sliding door bolt (Aldrop) | Length of the bolt |
| 32) | Floor door stopper with plate | Length of its plate |
| 33) | Hooks and eyes | Length of the hook measured out to out |

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones: 323 0131, 323 3375, 323 9402

Fax : 91 11 3234062, 91 11 3239399, 91 11 3239382

Telegrams : Manaksanstha
(Common to all Offices)

Central Laboratory:

Plot No. 20/9, Site IV, Sahibabad Industrial Area, SAHIBABAD 201010 8-77 00 32

Regional Offices:

Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002 323 76 17

*Eastern : 1/14 CIT Scheme VII M, V.I.P. Road, Manikola, CALCUTTA 700054 337 86 62

Northern : SCO 335-336, Sector 34-A, CHANDIGARH 160022 60 38 43

Southern : C.I.T. Campus, IV Cross Road, CHENNAI 600113 235 23 15

†Western : Manakalaya, E9 Behind Marol Telephone Exchange, Andheri (East),
MUMBAI 400093 832 92 95

Branch Offices:

'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMEDABAD 380001 550 13 48

‡Peenya Industrial Area, 1st Stage, Bangalore - Tumkur Road,
BANGALORE 560058 839 49 55

Gangotri Complex, 5th Floor, Bhadbhada Road, T. T. Nagar, BHOPAL 462003 55 40 21

Plot No. 62-63, Unit VI, Ganga Nagar, BHUBANESHWAR 751001 40 36 27

Kalaikathir Buildings, 670 Avinashi Road, COIMBATORE 641037 21 01 41

Plot No. 43, Sector 16 A, Mathura Road, FARIDABAD 121001 8-28 88 01

Savitri Complex, 116 G. T. Road, GHAZIABAD 201001 8-71 19 96

53/5 Ward No. 29, R. G. Barua Road, 5th By-lane, GUWAHATI 781003 54 11 37

5-8-58C, L. N. Gupta Marg, Nampally Station Road, HYDERABAD 500001 20 10 83

E-52, Chitaranjan Marg, C-Scheme, JAIPUR 302001 37 29 25

117/418 B, Sarvodaya Nagar, KANPUR 208005 21 68 76

Seth Bhawan, 2nd Floor, Behind Leela Cinema, Naval Kishore Road,
LUCKNOW 226001 23 89 23

Patliputra Industrial Estate, PATNA 800013 26 23 05

T. C. No. 14/1421, University P. O. Palayam,
THIRUVANANTHAPURAM 695034 6 21 17

NIT Building, Second Floor, Gokulpat Market, NAGPUR 440010 52 51 71

Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 411005 32 36 35

*Sales Office is at 5 Chowringhee Approach, P. O. Princep Street,
CALCUTTA 700072 27 10 85

†Sales Office is at Novelty Chambers, Grant Road, MUMBAI 400007 309 65 28

‡Sales Office is at 'F' Block, Unity Building, Narashimaraja Square,
BANGALORE 560002 222 39 71