

REFERENCES

- Alampalli, S. (2006). "Field Performance of an FRP Slab Bridge." *J. Composite Struct.*, (72), 494–502.
- Al-Shimmari, I.K., Hamad, N.T., and Waryosh, W.A. (2008). "Investigation of the Behavior for Reinforced Concrete Beam Using Non-Linear Three-Dimensional Finite Elements Model." *J. Eng. & Tech.*, 29(10), 1870-1885.
- Amanat, K.M., Alam, M.M.M., and Alam, M.S. (2007). "Experimental investigation of the use of ferrocement laminates for repairing masonry in filled RC Frames." *J. Civil Eng.*, 35 (2), 71-80.
- Amiri, S., and Masoudnia, R.(201 1)."Investigation of the opening Effects on the Behavior of Concrete Beams without Additional Reinforcement in Opening Region Using FEM Method." *Australian J. Basic and Applied Sciences.*, 5(5), 617-627.
- Anen, B.A., Shafey, A.E., and Shami, M.E. (2009)."Experimental and Analytical Model of Ferrocement Slabs." *Int. J. Recent Trends in Eng.*, 1 (6), 25-29.
- Antonaci, P., Bruno, C.L.E., Gliozzi, A.S., and Scalerandi, M.(2010)."Monitoring Evolution of Compressive Damage in Concrete with Linear and Nonlinear Ultrasonic Methods." *J. Cement and Concrete Research.*, 40, 1106–1113.
- Aravind, N., Samanta, A.K. Roy, D.K.S. and Thanikal, J.V. (2013)."Retrofitting of Reinforced Concrete Beams Using Fibre Reinforced Polymer Composites-A Review." *J. Urban and Environmental Eng.*, 7(1), 164-175.
- Bank, L.C., and Arora, D. (2006). "Analysis of RC beams Strengthened with Mechanically Fastened FRP (MF-FRP) Strips." *J. Composites Struct.*, 180-191.
- Barbato, M. (2009). "Efficient Finite Element Modeling of Reinforced Concrete Beams Retrofitted with Fibre Reinforced Polymers." *J. Composites and Struct.*, 87, 167-176.

- Bari, M.W., Rahman, M.M., Ali, M.M.Y., and Awall, M.R. (2004). "Finite Element Analysis of Slab and a Comparative Study with others Analytical Solution." *Proc., 7th ICCT.*, M-24, 265-272.
- Bastianinni, F., Tommaso, A.Di., and Pascale, G. (2001). "Ultrasonic Non-Destructive Assessment of Bonding defects in Composite Structural Strengthening." *J. Composite Struct.*, 53, 463 -467.
- Berman, J.W., and Brown, D.L. (2010). "Field Monitoring and Repair of a Glass Fibre-Reinforced Polymer Bridge Deck". *J. Perf. Constr. Facil.*, 24(3), 2 15-222.
- Bhattacharjee, B.,(2008). "Non-Destructive Testing of Concrete and Condition Assessment." *National Workshop on Struct. Health Monitoring, Non-Destructive Evaluation and Retrofitting of Struct.*, Indian Institute of Technology, Delhi.
- Bhunga, M.M., and Arora, N.K. (2012). "Comparative Study of ER-FRP Laminated Beam Design with ACI-440-2R-08 and IS Method." *Int. J. Advanced Eng. Tech.*, 3(2), 98-100.
- Biscaia, H.C., Chastre, C., and Silva, M.A.G. (2012). "Double Shear Tests to evaluate the bond strength between GFRP/concrete Elements." *J. Composite Struct.*, 94, 681-694.
- Bracci, J.M., Kunnath, S.K., and Reinhorn, A.M. (1997). "Seismic Performance and Retrofit Evaluation of Reinforced Concrete Structures." *J. Struct. Eng.*, 3-10.
- Camata, G., Spacone, E., and Zarnic, R. (2007). "Experimental and Non-Linear Finite Element Studies of RC Beams Strengthened with FRP Plates." *J. Composites*, 38, 277-288.
- Daham, H.A. (2011). "Analytical Study of Reinforced Concrete Two way Slabs With and Without opening having Different Boundary Conditions." *Al-Rafidain Eng.*, 19 (4), 11-27.

- Degala, S., Rizzo, P., Ramanathan, K., and Harries, K.A. (2009). "Acoustic Emission Monitoring of CFRP Reinforced Concrete Slabs." *J. Constr. and Building Materials*, 23, 2016-2026.
- Dilek, U., and Leming, M.L. (2007). "Comparison of Pulse velocity and Impact-Echo Findings to Properties of Thin Disk from a Fire Damaged Slab." *J. Perf. Constr. Facil.*, 13-21.
- El-Salakawy E.F., Polak, M.A., and Soliman, M.H. (1999). "Reinforced Concrete Slab-Column Edge connections with Openings." *ACI Struct. J.*, 96(1), 79-87.
- Farghaly, A.S., and Ueda, T. (2011). "Prediction of Punching Shear Strength of Two-Way Slabs Strengthened Externally with FRP Sheets." *J. Composites for Constr.*, 18 1-193.
- Ferracuti, B., Savoia, M., and Mazzotti, C. (2006). "A Numerical Model for FRP-Concrete Delamination." *J. Composites*, 37, 356-364.
- Girhammar, U.A. (2008). "Tests and analysis on shear strength of composite slabs of hollow core units and concrete topping." *J. Constr. and Building Materials*, 22, 1708-1722.
- Goueygou, M., Abraham, O., and Lataste, J.F. (2008). "A Comparative Study of Two Non-Destructive Testing Methods to Assess Near-Surface Mechanical Damage in Concrete Structures." *NDT&E Int.*, 41, 448– 456.
- Gunturi, V.R. (1996). "Identification and Modeling of Seismic Response of Landfill." Ph.D thesis, Department of Civil Eng., RPI, Troy, NY.
- Hashemi, S., and Mahaidi, S.A. (2010). "Investigation of Bond Strength and Flexural Behavior of FRP Strengthened RC Beams using Cement-Based Adhesives." *Struct. Congress*, 689-700.
- He, C., Van Velsor, J.K., Lee, C. M., and Rose, J. L. (2006). "Health Monitoring of Rock Bolts Using Ultrasonic Guided Waves." *Review of Quantitative Nondestructive Evaluation*, 25, 195-201.

- Honickman, H., and Fam, A. (2009). "Investigating a Structural Form System for Concrete Girders using Commercially Available GFRP Sheet-Pile Sections." *J. Composites for Constr.*, 455-465.
- Hossain, K.M.A., and Olufemi, O.O. (2005). "Design Optimization of Simply Supported Concrete Slabs by Finite Element Modeling." *J. Structural Division*, 124, 76-88.
- Ibrahim, A.M., and Mahmood, M.S. (2009). "Finite Element Modeling of Reinforced Concrete Beams Strengthened with FRP Laminates." *European J. Scientific Research*, 30 (4), 526-541.
- IS 456:2000. "Plain and Reinforced Concrete - Code of Practice." *Fourth Revision*, Bureau of Indian Standards.
- IS 800:2007. "General Construction in Steel - Code of Practice." *Third Revision*, Bureau of Indian Standards.
- IS 10262 – 1982. "Indian Standard, Recommended Guidelines for Concrete Mix Design" *Fifth Reprint*, Bureau of Indian Standards.
- Jain, A. (2006). "Effect of Wire Mesh Orientation on Strength of Retrofitted Beams Using Ferrocement Laminates." M.E thesis, Thapar University, Patiala.
- Jain, N.R., and Vishwanath, K.N. (2013). "Strength Assessment and Restoration of RC Structures by Structural Health Evaluation-Case Study." *Int. J. Eng. Research and Tech.* 2(7), 926-930.
- Kaushik, S.K., and Garg, V.K (1994). "Rehabilitation of RC Beams Using Precast Ferrocement Bonded Plates." Department of Civil Eng., University of Roorkee.
- Kim, Y.K., Longworth, J.M., Wight, R.G., and Green, M.F. (2008). "Flexure of Slabs Strengthened with Prestressed and Non Prestressed CFRP Sheets." *J. Composites for Constr.*, 12, 366-374.
- Kulkarni, D.K., and Sudhakar T.S. (2009). "Health Assessment of Reinforced Concrete Structures - A Case Study." *IOSR J. Mechanical & Civil Eng.*, pp. 37-42.

- Kumutha, R., Vaidyanathan, R., and Palanichamy, M.S. (2007). "Behavior of Reinforced Concrete Rectangular Columns Strengthened Using GFRP." *J. Cement & Concrete Composites* 29, 609–615.
- Lam, L., and Teng, J.G. (2001). "Strength of RC Cantilever Slabs Bonded with GFRP Strips." *J. Composites for Constr.*, 221-227.
- Lawler, N., and Polak, M.A. (2011). "Development of FRP Shear Bolts for Punching Shear Retrofit of Reinforced Concrete Slabs." *J. Composites for Constr.* 591-601.
- Lorenzis, L. D., and Teng, J.G. (2000). "Retrofitting of deficient RC Cantilever Slabs Using GFRP Strips." *J. Composites for Constr.*, 75-84.
- Luangvilai, K., Punurai, W., and Jacobs, L.J. (2002). "Guided Lamb Wave Propagation in Composite Plate of Concrete Component." *J. Eng. Mechanics*, 1337-1341.
- Ludovico, M.D., Manfredi, G., Mola, E., Negro, P., and Prota, A. (2008). "Seismic Behavior of a Full-Scale RC Structure Retrofitted using GFRP Laminates." *J. Struct.Eng.*, 810-821.
- Maaddawy, T.E., and Soudki, K. (2008). "Strengthening of Reinforced Concrete Slabs with Mechanically-Anchored unbounded FRP System." *J. Constr.and Building Materials*, 22, 444-455.
- Mansur, M.A., Ahmad, I., and Paramasivam, P. (2001). "Punching Shear Strength of Simply Supported Ferrocement Slabs." *J. Materials in Civil Eng.*, 418-426.
- Manuel, S.A.G. (2007). "Aging of GFRP Laminates and Confinement of Concrete Columns." *J.Composite struct.*, 79, 97-106.
- Mendes, P.J.D., Barros, J.A.O., Sena-Cruz, J.M., and Taheri, M. (2011). "Development of Pedestrian Bridge with GFRP Profiles and Fibre Reinforced Self-Compacting Concrete Deck." *J. Composite Struct.*, 93, 2969-2982.
- Mohammed, S.A. (2011). "Spherical Slab with Ferrocement." *J. Eng. & Tech.*, 29(13), 2609-2616.

- Moses, J.P., Harries, K.A., Earls, C.J., and Yulisma, W. (2006). "Evaluation of Effective Width and Distribution Factors for GFRP Bridge Decks Supported on Steel Girders." *J. Bridge Eng.*, 401-409.
- Motavalli, M., and Czaderski, C. (2007). "FRP Composites for Retrofitting of Existing Civil Structures in Europe: State-of-the-Art Review." *Proc. Composites & Polycon*, Tampa, FL USA, 1-10.
- Muftah, F., and Sani, M.S. (2012). "Pulse Velocity and Rebound Hammer Test on Reinforced Concrete Slab in the Former Civil Eng. Laboratory Building." *6th SASTech*, Malaysia, Kuala Lumpur.
- Mukherjee, A., and Arwikar, S.J. (2007). "Performance of Externally Bonded GFRP Sheets on Concrete in Tropical Environment. Part I: Structural Scale Test." *J. Composite Struct.*, 81, 21-32.
- Nam, J.W., Kim, H., Yi, N., and Kim, J. (2010). "Numerical Evaluation of Retrofit Effectiveness for GFRP Retrofitted Concrete Slab Subjected to Blasts Pressures." *J. Composite Struct.*, 92, 1212-1222.
- Ng, C.K., Edward, T.J., and Lee, D.K.T. (2008). "Theoretical Evaluation on Effects of Opening on Ultimate Load-carrying Capacity of Square Slabs." *J. of Struct. Eng.*, 8, 12-19.
- Pandey, A.K., Kumar, G., and Sharma, S.P. (1994). "An Iterative Approach for Soil Structure Interaction in Tall Buildings." *Int. J. Eng. fracture Mechanics*, 47 (2), 169-176.
- Pannirselvam, N., Raghunath, P.N., and Suguna, K. (2008). "Strength Modeling of Reinforced Concrete Beam with Externally Bonded Fibre Reinforcement Polymer Reinforcement." *J. Eng. and Applied Sciences*, 1(3), 192-199.
- Perera, R., Recuero, A., De Diego, A., and Lopez, C. (2004). "Adherence analysis of fibre reinforced polymer strengthened RC beams." *J. Composites and Struct.*, 82, 1865-1873.

- Phuvoravan, K., and Sotelino, E.D. (2005). “Nonlinear Finite Element for Reinforced Concrete Slabs.” *J. Struct.Div.*, 131, 643–649.
- Pukl, R., Havlasek, P., Vitek, P., Vitek, J.L., Vokac, M., Bouska, P., and Hilar, M. (2011). “The Numerical And Experimental Investigation of Structural Members Made From RC And SFRC.” Czech Republic.
- Pukl, R., Sajdlova, T., Lehky, D., and Novak, D. (2011). “Multi-Level Optimization of Input Parameters for Modeling of Fibre Reinforced Concrete.” Brno, Czech Republic.
- Reising R.M.W., Shahrooz, B.M., Hunt, V.J., Neumann, A.R., and Helmicki, A.J. (2004). “Performance Comparison of Four Fibre-Reinforced Polymer Deck Panels.” *J. Composites for Constr.* 265-274.
- Richardson, P., Nelson, M., and Fam, A. (2013). “Fatigue Behavior of Concrete Bridge Decks Cast on GFRP Stay-in-Place Structural Forms.” *J. Composites for Constr.*, in press.
- Robertson, N., and Johnson, G. (2004). “Repair of Slab-Column Connections using Epoxy and Carbon Fibre Reinforced Polymer.” *J. Composites for Constr.* 376-383.
- Rodriguez M., and Aristizabal J.C. (1999). “Evaluation of Seismic Damage of Buildings using a Damage Analysis Approach.” *J.Earthquake Eng. and Structural Dynamics*, 28, 463 -477.
- Santhakumar, R. Chandrasekaran, E., and Dhanaraj, R. (2004). “Analysis of Retrofitted Reinforced Concrete Shear Beams Using Carbon Fibre Composites.” *J. Struct. Eng.*, 4, 66-74.
- Shahrooz, B.M., and Boy, S. (2004). “Retrofit of Three-Span Slab Bridge with Fibre Reinforced Polymer Systems-Testing and Rating.” *J. Composites for Constr.*, 241-247.

- Sharifi, A., and Banan, M.R. (2008). “Energy Index Method: Technique for Identification of Structural Damages.” *J. Struct. Eng.*, 1061-1064.
- Shin, W., and Kim, J. (2013). “Seismic Retrofit of Flat Plate Structures.” *Int. J. Civil Eng. and Architecture*, 1 (1), 7-19.
- Silva, A.G., and Biscaia, H. (2007). “Degradation of Bond between FRP and RC Beams.” *J. Composites for Constr.* 164 – 174.
- Singh, H. (2001). “Flexural behavior of RC-Ferrocement Composite Slab.” M.E. thesis, Thapar University, Patiala.
- Smith, S.T., and Kim, S.J. (2009). “Strengthening of One-Way spanning RC slabs with Cutouts Using FRP Composites.” *J. Constr. and Building Materials*, 23, 1578–1590.
- Stergiopoulou, C., Aggour, M.S., and Mc Cuen, R.H. (2008). “Nondestructive Testing and Evaluation of Concrete Parking Garages.” *J. Infrastructure Systems*, 3 19-326.
- Subramanian, K.V., Popovics, J.S., and Shah, S.P. (1998). “Testing Concrete in Torsion: Instability Analysis and Experiments.” *J. Eng. Mechanics*, 124(11), 1258-1268.
- Sundarraja, M.C., and Rajamohan, S. (2009). “Strengthening of RC Beams in Shear using GFRP Inclined Strips-An Experimental Study.” *J. Constr. and Building Materials*, 856-864.
- Supaviriyakit, T., Pornpongsaroj, P., and Pimanmas, P. (2004). “Finite Element Analysis of FRP Strengthened RC Beams.” *J. Science &Tech.*, 26(4), 497-507.
- Shah, S.P., Popovics, J.S., and Subramaniam, K.V., (2000). “New Directions in Concrete Health Monitoring Technology.” *J. Eng. Mechanics*, 754-760.
- Tayel, M.A., Soliman, M.H., and Ibrahim, K.A. (2004). “Experimental Behavior of Flat Slabs with Openings under the Effect of Concentrated Loads.” *J. Alexandria Eng.*, 43 (2), 203-214.

- Tokgoz, H., Onal, M.M., and Yazgi, Z. (2011). "Strengthening with Carbon Fibre reinforced Polymer and Glass Fibre Reinforced Polymer of Insufficient Bending Rigidity Simple Supported beams." *J. Scientific Research and Essays*, 6 (6), 1172-1185.
- Tomar, A. (2006). "Retrofitting of Shear Deficient RC Beams Using Ferrocement Laminates." M.E. thesis, Thapar University, Patiala.
- Vermani, G. (2008). "Damage Detection in Reinforcing Steel Bars using Ultrasonic Wave Propagation." M.E. thesis, Thapar University, Patiala.
- Wang, Y., Xuan, Y., and Mao, P. (2010). "Nonlinear Finite Element Analysis of the Steel-concrete Composite Beam to Concrete-filled Steel Tubular Column Joints." *Int. J. Nonlinear Science*, 9 (3), 341-348.
- Xue, H.H., Hao, Q., and Shen, W. (2008). "Monitoring and Assessment of Built Structures." *National Research Council of Canada*, Institute for Research in Construction.
- Yaqub, M. (2005). "Comparison of Non Destructive Tests Results for Fire Affected And Unaffected Concrete Structure." *Conf. Our World In Concrete & Structures*, Singapore.
- Zou, Patrick X.W. (2003). "Long Term Deflection and Cracking Behavior of Concrete Beams Prestressed with Carbon Fibre Reinforced Polymer Tendons." *J. composites for constr.*, 7 (3), 187-193.