
















# BORE LOG

1. NAME OF PROJECT: PROPOSED NURSING HOME AT ADARSH NAGAR, BAREWAL ROAD LUDHIANA.
- 2 No. OF BORE HOLE: BH-I
3. DEPTH OF BORE HOLE: 12.0m
4. DEPTH OF WATER TABLE: NOT ENCOUNTERED UP TO DEPTH INVESTIGATED.

DEPTH FROM N.S.L	DESCRIPTION OF STRATA	BORE LOG	N VALUES	S P T RESISTANCE CURVE
				10      20      30
7.00m	TOP SOIL SILT SANDY SILT (3.6m-7m) ALREADY EXCAVATED		3	
8.50m	FILLING BROUGHT UP SOIL			
8.50m	SILTY SAND		10	
9.10m	SAND		17	
10.00m	SAND		17	
11.50m	SILT		16	
13.0m	SILT		15	
14.50m	SILT		16	
16.0m	SILT		16	
16.90m	SILTY SAND		33	
17.50m	SILTY SAND		33	
18.10m	SAND		36	
19.00m	SAND		36	



**RUPCON ENGINEERS**

CONSULTANTS FOR:

STRUCTURAL DESIGN  
GEOTECH. INVESTIGATION  
TOPOGRAPHICAL SURVEYS  
QUALITY CONTROL SERVICES

e-mail : baljeetrupra@gmail.com  
4th FLOOR SHAKTI TOWER G.T. ROAD JALANDHAR.  
PHONE NO. 98763-57330